TR15/TR40 +Smart Scan mid size/large x-ray scanner cabinets



Todd Research Limited

1 Stirling Way | Papworth Business Park | Papworth Everard | Cambridgeshire CB23 3GY | UK

tel: +44 1480 832202 email: xray@toddresearch.co.uk web: www.toddresearch.co.uk



The very latest generation TR15 and TR40 +Smart Scan cabinet scanners from Todd Research. provide a new benchmark of threat detection and image management for compact cabinet scanners. At the heart of the TR15 and TR40 +Smart Scan is a complete new software platform, managing the functionality and an intuitive user interface via a 22 inch touch screen monitor. The smart card login means the TR15 and TR40 +Smart Scan can be configured to enable data collection of individual user sessions further enhancing the effectiveness of the operators.

The TR15 is our compact X-ray scanner with big detection capabilities - with its small footprint, low maintenance costs and a host of detection features, the TR15 +Smart Scan is the scanning solution of choice.

The TR40 is the largest cabinet scanner in the range, the generous chamber can accomodate mail sacks, large boxes and courier deliveries, with its one touch operation the TR40 allows rapid processing of scanned items all within a compact footprint.

We See Things Differently

The in-built enhancement tools of the TR40 enable the captured image to be further investigated. The remote networking capabilities make for easy sharing and storage of images and can be utilised as part of the organisations escalation process. With Enhanced Powder Detection (EPD™) software as standard, powder based threats items can also be interrogated.

A History of Delivering

As a leading manufacturer of safety and security equipment, Todd Research demonstrates over 60 years in the provision of threat detection equipment creating innovative solutions to combat a range of threats, including homemade and Improvised Explosive Devices (IED) as well as biological threats both chemical and powder.

Cabinet X-ray Scanners Can Be Used For Multiple Applications:

- ✓ Mail Rooms
- ✓ Reception Areas (Scanning of post)
- \checkmark Goods In (screening of parcels)
- Executive Mail Screening
- ✓ Loss Prevention
- Contraband detection

High Definition imaging for the detection of IEDs, Powder Threats and Weapons sent via the mail.

High quality digital camera and enhanced X-ray generator delivers superior image quality for greater detection.

Image storage locally or onto an external hard drive or network for easy reference and verification.

Operators are assigned a login, management can map who is using the scanner and when.

One touch email function

enables escalation of potential suspect images to security professionals.

Enhanced EPD™ software allows greater recognition of "powder" threats.

User friendly touch screen interface providing access to all enhancement tools enabling rapid image processing.

All user data - date, operator's login, name, session time, no. of exposures made, log off time etc are captured in the Microsoft Access™ database.

3 point density alert - Operator can define the elements of a 'suspect devices' such as metal components e.g. detonators and batteries.

Compliance with lonising Radiation Regulations 2017 (IRR17).

WIFI Ready (can be added as an optional extra).

Design

Manufacture

TR15 +Smart Scan

Cabinet

Height: Width: Depth: Net Weight:

Inspection Chamber

Height: Width: Depth:

Image Area Width: Depth:

Door Opening Height: Width:









General Dimensions

1545 mm

460 mm

670 mm

170 kg

TR40	+Smart	Scan
-------------	--------	------

Cabinet

Height:	1690	mm
Width:	570	mm
Depth:	590	mm
Net Weight:	182	kg

535	mm	Height:	600	mm
445	mm	Width:	560	mm
585	mm	Depth:	505	mm
		Image Area		
325	mm	Width:	480	mm
450	mm	Depth:	410	mm

Width:

530	mm
370	mm

Inspection Chamber		
Height:	600	mm
Width:	560	mm
Depth:	505	mm
Image Area		
Width:	480	mm
Depth:	410	mm
Door Opening		
Height:	600	mm

480 mm

Installation Training Service

Features and Benefits

Feature	Benefit	
Image Enhancement		
EPD™ Enhanced Powder Detection	Heightened ability to identify threats conveyed via powder based elements	
Digital camera and powerful generator	Hi resolution images with increase ability to detect.	
Negative Image Function	Identity of high density materials. e.g. (metal) shown up white against a black background.	
High Density Alert (TR15)/ Enhancement (TR40)	Aids identification of materials such a plastic explosives.	
3 Point Density Alert (TR15)/ Enhancement (TR40)	Elements of a 'suspect devices' metal components e.g. detonators & batteries are more easily defined.	
Operating System		
Smart Card login	Designated access with record of all operator sessions.	
Touch screen interface	Quickly selection of tools for rapid verification that objects are "Safe or Suspect."	
Session data	Manage operator usage and record of suspect items.	
Administrator Function	Levels of access and functionality can be set by Administrator.	
Operator Icon toolbar (TR40 only)	Quickly selection of tools to verify object is "Safe or Suspect" then to store or share the image.	
Image Storage & Sharing		
Print/Export images	A hard copy library can be created for reference or to aid image share.	
Automatic Image archiving	Cross reference and accelerated referral to security personnel.	
One Touch Email Function	Enables escalation process to be shared across departments.	

Product Specification

Image and Unit Performance

- Touch Screen LCD 22" Monitor
- Image Resolution 1920 x 1080 pixels
- Wire Resolution: 36 AWG
- Steel Penetration: 3 mm

X-ray Generator

• 70KV measured at Target Screen 4.0mA

Operating Requirements & Environment

- Single Phase 230V, 50/60 Hz, 350W / 51180VA
- Operating Temp.: 5°c to +40°c
- Storage Temp.: -15°c to +50°c
- Relative Humidity: 85% non condensing
- Supplied with 2 m power cable

Health & Safety and Compliance

- All Todd Research equipment complies with applicable International Health & Safety regulations
- Leakage dose at outer surface
 <1.0µSv/h as specified in lonising Radiation Regulations
 2017 (IRR17)
- Complies with European Directive
 93/68/EEC
- Twin circuit door safety interlock to BS EN 60204-1

Optional Extras

- WIFI Capability
- Monitor Stand (TR15 only)
- External Uninterrupted Power Supply (UPS)

Todd Research Limited Standard Terms & Conditions apply E&OE.

Threat from suspect devices is not exclusive to any one sector, consequently over many years **Todd Research** has built an enviable reputation partnering with organisations as diverse as Government, Embassies, Global Banking, Pharmaceutical, Oil & Gas, Legal, Media, Facilities Management, Retail and many more. Call **Todd Research** to understand how we can help protect you, your personnel and assets.

Todd Research Limited

1 Stirling Way | Papworth Business Park | Papworth Everard | Cambridgeshire CB23 3GY | UK

tel: +44 1480 832202 email: xray@toddresearch.co.uk web: www.toddresearch.co.uk



contrac